

### **Window Sticker**

#### **SUMMARY**

[Retail] 2021 Chevrolet Colorado (12P43) 4WD Crew Cab 128" ZR2

MSRP:\$48,348.00

Interior:Jet Black, Leather-appointed seat trim

Exterior 1:Black

Exterior 2:No colour has been selected.

Engine, 2.8L Duramax Turbo-Diesel, DI, 4-cylinder

Transmission, 6-speed automatic, HMD, 6L50

#### **OPTIONS**

| FIION | 3          |  |      |             |
|-------|------------|--|------|-------------|
| CC    | ODE        | MODEL  |      | MSRP        |
| 12    | P43        | [Retail] 2021 Chevrolet Colorado (12P43) 4WD Crew Cab 128" ZR2               |      | \$48,348.00 |
|       |            | OPTIONS  |      |             |
| 4Z    | <b>′</b> R | ZR2 Preferred Equipment Group  |      | \$0.00      |
| AA    | λK         | LPO, All-weather floor liner   |      | \$305.00    |
| AF    | R7         | Seats, front bucket  |      | \$0.00      |
| GE    | ВА         | Black  | Inc. |             |
| H2    | 2U         | Jet Black, Leather-appointed seat trim                                       |      | \$0.00      |
| Ю     | U          | Audio system, Chevrolet Infotainment 3 Plus system with connected Navigation |      | \$1,375.00  |
| K4    | 10         | Exhaust brake  | Inc. |             |
| LV    | VN         | Engine, 2.8L Duramax Turbo-Diesel, DI, 4-cylinder                            |      | \$4,090.00  |
| M     | CR         | USB data ports, 2, includes SD Card Reader                                   | Inc. |             |
| M     | YB         | Transmission, 6-speed automatic, HMD, 6L50                                   | Inc. |             |
| PE    | OF .       | ZR2 Midnight Special Edition   |      | \$4,015.00  |
| Q4    | 4B         | GVWR, 6200 lbs. (2812 kg)  | Inc. |             |
| RI    | F          | Wheels, 17" x 8" (43.2 cm x 20.3 cm) gloss-Black aluminum                    | Inc. |             |
| S3    | BX         | LPO, Off-road lights   | Inc. |             |
| S4    | 4S         | Wheel, spare, 17" x 8" (43.2 cm x 20.3 cm) gloss-Black aluminum              | Inc. |             |
| SC    | CU         | LPO, Off-Road Sport Bar  | Inc. |             |
| UC    | QA         | Audio system feature, Bose premium 7-speaker system                          | Inc. |             |
|       | _          | Federal air conditioning excise tax  |      | \$100.00    |
|       |            |  |      |             |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16341. Data Updated: 21-Sep-2021 2:37:00 PDT AM.



\_\_\_ Capped Fuel Fill Inc.

\$UBTOTAL \$58,133.00

Adjustments Total \$0.00

Total Tax \$100.00

Destination Charge \$1,950.00

TOTAL PRICE \$60,183.00

#### **FUEL ECONOMY**

Est City:13.3 L/100 km

Est Highway: 10.6 L/100 km

Est Highway Cruising Range:744.88 km

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16341. Data Updated: 21-Sep-2021 2:37:00 PDT AM.



# **Technical Specifications**

| Po             | Powertrain                          |                  |                                    |                  |  |
|----------------|-------------------------------------|------------------|------------------------------------|------------------|--|
| Tr             | Transmission                        |                  |                                    |                  |  |
|                | Drivetrain                          | Four Wheel Drive | Trans Order Code                   | MYB              |  |
|                | Trans Type                          | 6                | Trans Description Cont.            | Automatic        |  |
|                | Trans Description Cont. Again       | N/A              | First Gear Ratio (:1)              | 4.06             |  |
|                | Second Gear Ratio (:1)              | 2.37             | Third Gear Ratio (:1)              | 1.55             |  |
|                | Fourth Gear Ratio (:1)              | 1.16             | Fifth Gear Ratio (:1)              | 0.85             |  |
|                | Sixth Gear Ratio (:1)               | 0.67             | Reverse Ratio (:1)                 | 3.20             |  |
|                | Clutch Size                         | N/A              | Trans Power Take Off               | N/A              |  |
|                | Final Drive Axle Ratio (:1)         | N/A              | Transfer Case Model                | Magna MP3025G    |  |
|                | Transfer Case Gear Ratio (:1), High | 1.00             | Transfer Case Gear Ratio (:1), Low | 2.72             |  |
|                | Transfer Case Power Take Off        | N/A              |                                    |                  |  |
| M              | ileage                              |                  |                                    |                  |  |
|                | EnerGuide Estimate - City           | 13.3 L/100 km    | EnerGuide Estimate - Hwy           | 10.6 L/100 km    |  |
|                | Cruising Range - City               | 593.67 km        | Cruising Range - Hwy               | 744.88 km        |  |
| Er             | ngine                               |                  |                                    |                  |  |
|                | Engine Order Code                   | LWN              | Engine Type                        | Diesel I4        |  |
|                | Displacement                        | 2.8L/-TBD-       | Fuel System                        | Direct Injection |  |
|                | SAE Net Horsepower @ RPM            | 181 @ 3400       | SAE Net Torque @ RPM               | 369 @ 2000       |  |
|                | Engine Oil Cooler                   | N/A              |                                    |                  |  |
| EI             | Electrical                          |                  |                                    |                  |  |
|                | Cold Cranking Amps @ 0° F (Primary) | N/A              | Cold Cranking Amps @ 0° F (2nd)    | N/A              |  |
|                | Maximum Alternator Capacity (amps)  | N/A              | Cold Cranking Amps @ 0° F (3rd)    | N/A              |  |
| Cooling System |                                     |                  |                                    |                  |  |
|                | Total Cooling System Capacity       | N/A              |                                    |                  |  |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16341. Data Updated: 21-Sep-2021 2:37:00 PDT AM.



| /ehicle                                 |             |  |  |
|---|-------------|--|--|
| Emissions                               |             |  |  |
| Kg/yr of CO2 Emissions @ 20K km/year    | N/A         | G/km Of CO2 Emissions                  | 326                                    |
| Chassis                                 |             |  |  |
| Weight Information                      |             |  |  |
| Standard Weight - Front                 | 231.79 kg   | Standard Weight - Rear                 | 109.77 kg                              |
| Gross Axle Wt Rating - Front            | 1,542.24 kg | Gross Axle Wt Rating - Rear            | 1,451.52 kg                            |
| Curb Weight - Front                     | 1,004.72 kg | Curb Weight - Rear                     | 813.3 kg                               |
| Option Weight - Front                   | 141.07 kg   | Option Weight - Rear                   | 35.38 kg                               |
| Reserve Axle Capacity - Front           | 164.66 kg   | Reserve Axle Capacity - Rear           | 493.06 kg                              |
| As Spec'd Curb Weight                   | 2,336.04 kg | As Spec'd Payload                      | 476.28 kg                              |
| Maximum Payload Capacity                | 994.29 kg   | Gross Combined Wt Rating               | 5,760.72 kg                            |
| Gross Axle Weight Rating                | 2,993.76 kg | Curb Weight                            | 1,818.03 kg                            |
| Reserve Axle Capacity                   | 657.72 kg   | Total Option Weight                    | 176.45 kg                              |
| Payload Weight Front                    | 0 kg        | Payload Weight Rear                    | 0 kg                                   |
| Gross Vehicle Weight Rating             | 2,812.32 kg |  |  |
| Trailering                              |             |  |  |
| Dead Weight Hitch - Max Trailer Wt.     | 2,268 kg    | Dead Weight Hitch - Max Tongue Wt.     | 226.8 kg                               |
| Wt Distributing Hitch - Max Trailer Wt. | 2,268 kg    | Wt Distributing Hitch - Max Tongue Wt. | 226.8 kg                               |
| Fifth Wheel Hitch - Max Trailer Wt.     | N/A         | Maximum Trailering Capacity            | 2,268 kg                               |
| Fifth Wheel Hitch - Max Tongue Wt.      | N/A         |  |  |
| Frame                                   |             |  |  |
| Frame Type                              | N/A         | Sect Modulus Rails Only                | N/A                                    |
| Frame RBM                               | N/A         | Frame Strength                         | N/A                                    |
| Frame Thickness                         | N/A         |  |  |
| Suspension                              |             |  |  |
| Suspension Type - Front                 | Independent | Suspension Type - Rear                 | Semi-Elliptic, 2-<br>Stage, Multi-Leaf |
| Spring Capacity - Front                 | 1,542.24 kg | Spring Capacity - Rear                 | 1,587.6 kg                             |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16341. Data Updated: 21-Sep-2021 2:37:00 PDT AM.



| assis                             |             |                                    |            |
|-----------------------------------|-------------|------------------------------------|------------|
| uspension                         |             |                                    |            |
| Axle Type - Front                 | Independent | Axle Type - Rear                   | Semi-Floa  |
| Axle Capacity - Front             | 1,542.24 kg | Axle Capacity - Rear               | 1,587.6 kg |
| Axle Ratio (:1) - Front           | 3.42        | Axle Ratio (:1) - Rear             | 3.42       |
| Shock Absorber Diameter - Front   | N/A         | Shock Absorber Diameter - Rear     | N/A        |
| Stabilizer Bar Diameter - Front   | N/A         | Stabilizer Bar Diameter - Rear     | N/A        |
| ires                              |             |                                    |            |
| Front Tire Order Code             | QJ2         | Rear Tire Order Code               | QJ2        |
| Spare Tire Order Code             | ZJP         | Front Tire Size                    | 265/65R1   |
| Rear Tire Size                    | 265/65R17   | Spare Tire Size                    | 265/65R1   |
| Front Tire Capacity               | 1,542.24 kg | Rear Tire Capacity                 | 1,587.6 kç |
| Spare Tire Capacity               | N/A         | Revolutions/Mile @ 45 mph - Front  | N/A        |
| Revolutions/Mile @ 45 mph - Rear  | N/A         | Revolutions/Mile @ 45 mph - Spare  | N/A        |
| /heels                            |             |                                    |            |
| Front Wheel Size                  | 17 x 8 in   | Rear Wheel Size                    | 17 x 8 in  |
| Spare Wheel Size                  | 17 x 8 in   | Front Wheel Material               | Aluminum   |
| Rear Wheel Material               | Aluminum    | Spare Wheel Material               | Aluminum   |
| teering                           |             |                                    |            |
| Steering Type                     | Pwr         | Steering Ratio (:1), On Centre     | N/A        |
| Steering Ratio (:1), At Lock      | N/A         | Turning Diameter - Curb to Curb    | 12.59 m    |
| Turning Diameter - Wall to Wall   | N/A         |                                    |            |
| rakes                             |             |                                    |            |
| Brake Type                        | Pwr         | Brake ABS System                   | 4-Wheel    |
| Brake ABS System (Second Line)    | N/A         | Disc - Front (Yes or )             | Yes        |
| Disc - Rear (Yes or )             | Yes         | Front Brake Rotor Diam x Thickness | N/A        |
| Rear Brake Rotor Diam x Thickness | N/A         | Drum - Rear (Yes or )              | N/A        |
| Rear Drum Diam x Width            | N/A         |                                    |            |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16341. Data Updated: 21-Sep-2021 2:37:00 PDT AM.



| assis                       |             |                                 |             |
|-----------------------------|-------------|---------------------------------|-------------|
| el Tank                     |             |                                 |             |
| Fuel Tank Capacity, Approx  | 79 L        | Aux Fuel Tank Capacity, Approx  | N/A         |
| Fuel Tank Location          | N/A         | Aux Fuel Tank Location          | N/A         |
| nensions                    |             |                                 |             |
| terior Dimensions           |             |                                 |             |
| Passenger Capacity          | 5           | Front Head Room                 | 1,051.56 mm |
| Front Leg Room              | 1,143 mm    | Front Shoulder Room             | 1,460.5 mm  |
| Front Hip Room              | 1,397 mm    | Second Head Room                | 972.82 mm   |
| Second Leg Room             | 909.32 mm   | Second Shoulder Room            | 1,427.48 mm |
| Second Hip Room             | 1,353.82 mm |                                 |             |
| cterior Dimensions          |             |                                 |             |
| Wheelbase                   | 3,263.9 mm  | Length, Overall w/o rear bumper | N/A         |
| Length, Overall             | 5,402.58 mm | Width, Max w/o mirrors          | 1,948.18 mm |
| Height, Overall             | 1,841.5 mm  | Overhang, Front                 | 947.42 mm   |
| Overhang, Rear w/o bumper   | N/A         | Front Bumper to Back of Cab     | N/A         |
| Cab to Axle                 | 608.08 mm   | Cab to End of Frame             | N/A         |
| Ground to Top of Load Floor | 876.3 mm    | Ground to Top of Frame          | N/A         |
| Frame Width, Rear           | N/A         | Ground Clearance, Front         | 254 mm      |
| Ground Clearance, Rear      | 254 mm      | Body Length                     | 0 m         |
| Cab to Body                 | N/A         |                                 |             |
| argo Area Dimensions        |             |                                 |             |
| Cargo Box Length @ Floor    | 1,567.18 mm | Cargo Box Width @ Top, Rear     | N/A         |
| Cargo Box Width @ Floor     | 1,468.12 mm | Cargo Box Width @ Wheelhousings | 1,127.76 mm |
| Cargo Box (Area) Height     | N/A         | Tailgate Width                  | N/A         |
| Cargo Volume                | 1,169.49 L  | Ext'd Cab Cargo Volume          | N/A         |

Data Version: 16341. Data Updated: 21-Sep-2021 2:37:00 PDT AM.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



# **Standard Equipment**

| otaniaa.a =qa.j |  |
|-----------------|--|
| Mechanical      |  |
|                 | Engine, 3.6L DI DOHC V6 VVT (308 hp [230.0 kW] @ 6800 rpm, 275 lb-ft of torque [373 N-m] @ 4000 rpm) (STD) |
|                 | Transmission, 8-speed automatic (STD) (Included and only available with (LGZ) 3.6L DI DOHC V6 engine.)     |
|                 | Rear axle, 3.42 ratio  |
|                 | GVWR, 6000 lbs. (2722 kg) (STD) (Standard on Crew Cab models with (LGZ) 3.6L DI DOHC V6 engine only.)      |
|                 | Hill Descent Control   |
|                 | Transfer case, electric, 2-speed AutoTrac  |
|                 | Transfer case shield   |
|                 | Differential, driver-selectable full-locking front   |
|                 | Differential, driver-selectable full-locking rear  |
|                 | Four wheel drive   |
|                 | Capless Fuel Fill (Not available with (LWN) 2.8L Duramax Turbo-Diesel engine.)                             |
|                 | Trailer brake controller, integrated   |
|                 | Trailering Package, heavy-duty includes trailer hitch and 7-pin connector                                  |
|                 | Hitch Guidance dynamic single line to aid in truck trailer alignment for hitching                          |
|                 | LPO, Off-Road rocker protection  |
|                 | Tow/Haul Mode  |
|                 | Red Recovery Hooks   |
|                 | Frame, fully-boxed   |
|                 | Pickup box   |
|                 | Steering, Electric Power Steering (EPS) assist   |
|                 | Brakes, 4-wheel antilock, 4-wheel disc   |
| Exterior        |  |
|                 | Wheels, 17" x 8" (43.2 cm x 20.3 cm) Graphite and Oxide Gold aluminum (STD)                                |
|                 | Tires, 265/65R17 all-terrain, blackwall 31" Goodyear Wrangler DuraTrac                                     |
|                 | Tire, spare 265/65R17 all-terrain, blackwall   |
|                 | Wheel, spare, 17" x 8" (43.2 cm x 20.3 cm) aluminum  |
|                 | Bumpers, rear, Black   |
|                 | Mouldings, Black beltline  |
|                 |  |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16341. Data Updated: 21-Sep-2021 2:37:00 PDT AM.



| Exterior      |   |
|---------------|---|
| Exterior      |   |
|               | ZR2 Off-Road Package includes taller and wider stance, DSSV Multimatic suspension dampers, off-road front fascia and rear bumper, fender flares and "CHEVROLET" lettered grille with Flowtie  |
|               | Headlamps, projector-type   |
|               | Cargo box light, back of cab  |
|               | Mirrors, outside heated power-adjustable, body-colour, manual-folding   |
|               | Mirror, spotter, located in corner of driver-side outside mirror  |
|               | Window, rear-sliding, manual  |
|               | Door handles, body-colour   |
|               | Tailgate, EZ-Lift and Lower   |
|               | Tailgate, remote locking (locks and unlocks with key fob)   |
|               | Tailgate handle, Black  |
|               | Bedliner, spray-on, Black with Chevrolet logo (Includes ZR2 logo.)  |
| Entertainment |   |
|               | Audio system, Chevrolet Infotainment 3 Plus system 8" diagonal HD colour touchscreen, AM/FM stereo, Bluetooth audio streaming for 2 active devices, Apple CarPlay and Android Auto capable, voice recognition, invehicle apps, cloud connected personalization for select infotainment and vehicle settings. Subscription required for enhanced and connected services after trial period. (STD)  |
|               | Audio system feature, 6-speaker system  |
|               | HD Radio  |
|               | SiriusXM enjoy an All Access trial subscription with over 140+ channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.ca for complete terms and how to cancel. All fees, content, features, and availability are subject to change.) |
|               | 4G LTE Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.ca or dealer for details.)  |
|               | Microphones, Driver side and Passenger side   |
| Interior      |   |
|               | Seats, front bucket (STD)   |
|               | Seat trim, Leather-appointed front seats  |
|               | Seat adjuster, driver 6-way power   |
|               | Seat adjuster, 4-way power front passenger  |
|               | Seat adjuster, power driver lumbar control  |
|               | Seat adjuster, power passenger lumbar control   |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16341. Data Updated: 21-Sep-2021 2:37:00 PDT AM.



| Interior |  |
|----------|--|
|          | Seat, rear folding bench (Crew Cab models only.)   |
|          | Seats, heated driver and front passenger   |
|          | Console, floor, front compartment, custom  |
|          | Floor covering, colour-keyed carpeting   |
|          | Floor mats, carpeted front (Not available with (ULV) Colorado ZR2 Bison Edition. Removed when the following options are ordered: (AAK) All-weather floor liner, LPO, (RIA) All-weather floor liner, LPO or (VAV) All-weather floor mats, LPO.) |
|          | Floor mats, carpeted rear (Not available with (ULV) Colorado ZR2 Bison Edition. Removed when the following options are ordered: (AAK) All-weather floor liner, LPO, (RIA) All-weather floor liner, LPO or (VAV) All-weather floor mats, LPO.)  |
|          | Steering wheel, leather-wrapped  |
|          | Steering column, tilt and telescopic   |
|          | Steering wheel controls, mounted audio controls  |
|          | Speedometer, miles/kilometres  |
|          | Steering wheel, heated   |
|          | Display, driver instrument information enhanced, multi-colour  |
|          | Windows, power with driver Express-Up and Down   |
|          | Cruise control, electronic, automatic  |
|          | Door locks, power  |
|          | Remote Keyless Entry, extended range   |
|          | Remote vehicle starter system  |
|          | Theft-deterrent system, immobilization   |
|          | Theft-deterrent system, unauthorized entry   |
|          | Wireless Charging for compatible cell phones   |
|          | USB data ports, 2 includes auxiliary input jack, located on the front console (Not available with (IOU) 8" diagonal Chevrolet Infotainment System with Navigation.)  |
|          | USB charging-only ports, 2, located on the rear of the centre console  |
|          | Air conditioning, single-zone automatic climate control  |
|          | Defogger, rear-window electric   |
|          | Handles, door release, front and rear, chrome  |
|          | Mirror, inside rearview auto-dimming   |
|          | Console, overhead  |
|          | Visors, driver and front passenger illuminated sliding vanity mirrors  |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16341. Data Updated: 21-Sep-2021 2:37:00 PDT AM.



| Interior          |   |
|-------------------|---|
|                   | Lighting, interior, dual reading  |
|                   | Lighting, interior, roof, rear courtesy and dual reading lights (Crew Cab models only.)   |
|                   | Chevrolet Connected Access capable (Subject to terms. See onstar.ca or dealer for details.)   |
| Safety-Mechanical |   |
|                   | StabiliTrak, stability control system   |
|                   | Traction control, electronic  |
| Safety-Exterior   |   |
|                   | Daytime Running Lamps   |
| Safety-Interior   |   |
|                   | Airbags, Dual-stage frontal airbags for driver and front passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal passenger airbag   |
|                   | OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.ca or dealer for details.)   |
|                   | HD Rear Vision Camera   |
|                   | Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behaviour. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. It includes the Buckle-to-Drive feature which prevents the driver from shifting from Park for up to 20 seconds if the driver's seat belt is not buckled. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver |
|                   | Tire Pressure Monitoring System (does not apply to spare tire)  |
|                   | Tire Fill Alert provides an audible and visual indication when tire pressure is added to a tire that is low. Aids to achieve optimal tire pressure  |
| WARRANTY          |   |

\_ . .

Basic Years: 3
Basic Miles/km: 60,000

Drivetrain Years: 5

Drivetrain Miles/km: 100,000

Drivetrain Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 160,000

Corrosion Miles/km: 60,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 100,000

Roadside Assistance Note: Certain Commercial and/or Government Fleet vehicles: 5 years/160,000 km

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16341. Data Updated: 21-Sep-2021 2:37:00 PDT AM.